



# HG 530-S

Hot-air blower



simple.  
good.  
affordable.

# HG 530-S: The versatile Weldy professional hot-air blower

The HG 530-S hot-air blower is a high-performance Weldy hot-air gun with quick, infinitely variable temperature selection from 80 °C through 620 °C, for use in numerous technical and industrial applications. Examples of applications for which it can be used include the professional removal of paint and varnish, shrinking and expanding plastic films, and smoothing and stretching leather and other sensitive materials. Thanks to a combination of regulated heating capacity, high blower speed, low weight, and ergonomic handle design, the HG 530 hot-air hand tool is suitable for multifunctional use and makes working with hot air significantly easier.

Hot-air blower

## HG 530-S

- durable ceramic heating element
- ergonomic handle design for easy handling
- lightweight and well-balanced
- versatile and suitable for professional applications



### Technical data

Voltage	V~	100	120	230
Max. power	W	1300	1500	2000
Temperature	°C	80 - 620	80 - 620	80 - 620
Air volume	l/min	250 / 450	250 / 450	250 / 550
Dimensions L × W × H	mm	250 × 80 × 230		
Weight	kg	0.75		
Conformity marking		CE		
Protection class II		□		

Only available as a kit (hot-air hand tool incl. accessories)



<b>Kit HG 530-S</b>		
230 V / 2000 W, CN plug		124.406
230 V / 2000 W, EU plug		164.326
230 V / 2000 W, CH plug		134.693
230 V / 2000 W, UK plug		131.324
230 V / 2000 W, AUS plug		133.774
120 V / 1500 W, US plug, polarized (UL)		123.158
100 V / 1300 W, JP plug		120.131
<b>Accessories (included in kit)</b>		
119.344 Spoon reflector		•
119.345 Tubular nozzle Ø 6 mm		•
119.346 Wide slot nozzle 25 mm		•
119.347 Solder reflector nozzle		•
119.348 Pressure roller (ABS) 30 mm		•
Carton tool packaging		•
Instruction manual		•



Händleradresse:

