



plus-S

Digitally controlled and versatile



simple.
good.
affordable.

plus-S: the hot-air hand tool for versatile and precise use

The plus-S is ideally suited for car wrapping, cable shrinking, loosening screws, ski repairs and crimping pipe flanges. The integrated display with memory function, controls 14 applications and material menus. The large LCD segment display constantly shows the current temperature and air volume setting, thereby facilitating controlled and precise work.

Hot-air hand tool

plus-S

- Digital temperature control from 80 to 650°C
- Five-level air flow settings
- 14 work programs
- Menu in eight languages
- Standby mode
- Two-component housing
- Ergonomic design



Technical data

Voltage	V~	100	120	230
Max. power	W	1300	1500	2000
Temperature	°C	80 - 650	80 - 650	100 - 650
Air volume	l/min	200 - 500	200 - 500	200 - 550
Dimensions L x W x H	mm	230 x 80 x 240		
Weight	kg	0.63		
Conformity marking		CE		
Safety mark		UL		
Protection class II		□		

Only available as a kit (hot-air hand tool incl. accessories)



Visit our YouTube-Channel:
youtube.com/WELDYhotairtools



Accessories




Glass protection nozzle

119.341



Wide slot nozzle

119.342



Reducer nozzle
Ø 20 mm
119.343



Reflector nozzle

119.344



Welding nozzle

119.345



Speed welding nozzle
Ø 5 mm
125.315



Overlap welding nozzle

119.346



Solder/shrink reflector
nozzle
119.347



Pressure roller

119.348



Scraper
119.177



Scraper set
119.178

Kit solutions plus-S

230 V / 2000 W, CN plug	155.731
230 V / 2000 W, EU plug	155.730
230 V / 2000 W, CH plug	155.736
230 V / 2000 W, UK plug (GB3)	156.574
230 V / 2000 W, AUS plug (2P + PE)	157.811
120 V / 1500 W, US plug, polarized (UL)	155.732
100 V / 1300 W, US plug, non-polarized (Japan)	155.733

Universal Kit

Accessories (included in kit)

119.344 Reflector nozzle	•
119.345 Welding nozzle	•
119.346 Overlap welding nozzle	•
119.347 Solder/shrink reflector nozzle	•
119.348 Pressure roller	•
Plastic case	•

Dealer address:

